

Compactus Shelving - more storage and less floorspace

Compactus shelving has quickly become an industry standard when high-density storage is required in a limited footprint, with the possibility to double the storage capacity of traditional static shelving solutions.

Commonly used in office, library, and pharmaceutical environments, compactus units are also used extensively in the stockroom, warehouse, and industrial environments for increasing storage.

The shelving units are mounted on mobile bases, which travel along compact rails. The smooth operation of the units ensure ease of access throughout the entire system, making picking and replenishment simple

Our compactus system is ideal for many storage applications, including footwear, apparel (both hanging and flat packed garments) archives, small parts, tools, boxes, and much more. The compactus system is designed to sit on top of level carpet or solid flooring.

Compactus Shelving Units make the most of limited floor space, using 30% less area than traditional static shelving

The Compactus Shelving units are available in two different configurations:

- 1. Manually Operated used in a single or multibay width with a low-profile track.
- **2. Mechanically assisted –** designed with an ergonomic handwheel to reduce wrist movement and ensure ease of movement where the overall weight of the shelving and stock is higher.

The bases are fully adjustable for height and level, allowing the fabricated mobile trolleys to effortlessly glide on case hardened bearings for quiet and smooth operation.







Fast Facts:











This is the most versatile boltless Stockroom Shelving system with the greatest number of bay widths, lengths and heights compared to any other storage shelving system on the market.

A stockroom shelving system was developed to resolve challenges associated with storing light goods in both standard applications and two-tier configurations with heights ranging up to 5 metres.

It is a highly technical product that excels due to its speed of assembly, stability, and performance/cost ratio. Completely boltless, interchangeable, and extendable, a versatile stockroom shelving system satisfying the broadest needs of light storage requirements.

Constructed in galvanised 3.1 certified high tensile structural steel in accordance with the EN10204 standards ensuring the product's durability.

The frame system is composed of uprights, diagonal and horizontal spacer bars in varying depths and heights with load-bearing capacities ranging up to 3600 kg/frame.

With the steel strength, suspended walkway installations can be created with all the protection and safety elements required by current standards.

The standard shelving sizes that we hold in stock are:

- Heights 1972mm, 2500mm, 3028mm, 3424mm;
- Depths 320mm, 400mm, 500mm, 600mm, 700mm, 800mm:
- Lengths 600mm, 900mm, 1080mm, 1200mm, 1350mm, 1500mm, 1650mm, 1800mm.

Fast Facts:







